

## NLG GO<sup>™</sup> Bungee Tool Lanyard Product Code: 101518 Max Load: 3 KG / 6.6 LBS



#### OVERVIEW

As part of our GO<sup>™</sup> range, the GO<sup>™</sup> Bungee Tool Lanyard provides excellent value and performance. The sturdy double-action carabiner and cord loop allow for easy yet secure attachment to your tool and anchor point, whilst the low resistance makes it comfortable for all-day use.

#### VIEW ONLINE

https://neverletgo.com/products/go-bungee-t ool-lanyard/



## NLG **ID**<sup>™</sup> Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



# Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

| DESCRIPTION             | The GO <sup>™</sup> Bungee Tool Lanyard provide<br>performance. As part of our GO <sup>™</sup> range<br>compromising on what matters.<br>Unlike other cheap tool lanyards, the G<br>numbered for easy inspection, CE mar<br>for drop prevention.<br>It comes with a sturdy double-action of<br>that it can attach easily to all common<br>resistance to make it comfortable for a | e, it's economical in price without<br>™ Bungee Tool Lanyard is serial<br>ked, third-party tested and certified<br>arabiner and a durable cord loop so<br>hand tools and has very low stretch |
|-------------------------|---|---|
| FEATURES                | Lightweight, anodised aluminium carabiner<br>High-performance secure locking gate prevents accidental opens<br>Rugged climbing cord loop allows for quick cinching<br>Faster visual inspections with contrast stitching   |   |
| TECHNICAL SPECIFICATION | Max Load: 3 KG / 6.6 LBS<br>Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC<br>Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)<br>NLG ID™ Technology / Scannable Compatible<br>Unique Serial Number<br>Dimensions: Extends from 70cm to 120cm   |   |
| RETAIL                  | EAN (GTIN-13)<br>5060572180611  | UNIT WEIGHT (G)<br>55   |
| SHIPPING                | HS CODE<br>5609.00.0000   | COUNTRY OF ORIGIN<br>Taiwan   |



### GO™ Bungee Tool Lanyard Product Code: 101518

View online https://neverletgo.com/products/go-bung ee-tool-lanyard/

Learn more about: Dropped object prevention Tool tethering Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

| CONTACT    | +44 (0)330 016 0030<br>neverletgo.com  |
|------------|--|
| INSPECTION | In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection. |
| LEGAL      | NLG makes every effort to ensure the information in this Datasheet is<br>accurate and current. However, NLG reserves the right to change the<br>product specification when necessary. NLG cannot be held responsible for<br>any inaccuracies or omissions.<br>Copyright © 2023. NLG ° and Never Let Go ° are registered trademarks.                        |