

NLG Superlight Safety Tool Belt Product Code: 101420 Max Load: 30 KG / 66 LBS



OVERVIEW

Full of innovative features the Superlight Safety Tool Belt is the ultimate work belt for tethering your tools. The triple-action buckle provides the highest level of security against accidental opens and the inside size adjustment keeps a sleek profile to help avoid snagging hazards.

VIEW ONLINE

https://neverletgo.com/products/superlight-s afety-tool-belt/



NLG **ID**[™] Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION		e of use, The Superlight Safety Tool belt ue inside size adjustment that makes it profile that reduces snags. ion buckle gives the highest level of ilst being compact enough to allow
FEATURES	Innovative inside size adjustment means one size fits all Advanced components keep the design lightweight, non-conductive and snag-free High-strength, wear-resistant padded webbing for comfortable all-day use Heavy duty triple action buckle prevents accidental opens	
TECHNICAL SPECIFICATION	Max Load: 30 KG / 66 LBS Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor) NLG ID™ Technology / Scannable Compatible Unique Serial Number Dimensions: 76cm to 139cm (30in to 55in)	
RETAIL	EAN (GTIN-13) 5060572180437	UNIT WEIGHT (G) 175
SHIPPING	HS CODE 6307.90.9899	COUNTRY OF ORIGIN Poland



Superlight Safety Tool Belt Product Code: 101420

View online https://neverletgo.com/products/superlig ht-safety-tool-belt/

Learn more about: Dropped object prevention Tool tethering Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

CONTACT	+44 (0)330 016 0030 neverletgo.com
INSPECTION	In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.
LEGAL	NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2023. NLG [©] and Never Let Go [©] are registered trademarks.